




Italian Custom Espresso Machines



Calliope

Calliope is the inspirational goddess of the Prima Musa brand. A machine whose clean and pure lines evoke feminine elegance and grace.



Italian Custom Espresso Machines


"Details make perfection and perfection is not a detail"

— Leonardo da Vinci

Calliope



Standard colors Red, Light blue, Yellow, Green



Worktop in steel



Double scale pressure gauge



Fine wood filter holder handles



Calliope wants to be a shell of precious materials: its refined and refined details give a look to the pop aesthetic culture and the Italian character, reverence of design and taste.

Excellence, tradition and passion for taste are summed up in a cup of coffee.

Calliope is the inspirational goddess of the Prima Musa brand. A machine whose clean and pure lines evoke feminine elegance and grace.

Data Sheet

CALLIOPE	
NUMBER OF GROUPS	2
TEMPERATURE PROBE	YES
BOILER CAPACITY	14 Lt
WORK PRESSURE	0,9 ÷ 1,2 bar
ELECTRICAL RESISTANCE	4,500 W (230 - 400 V)
ELECTRIC MOTOR	150 W - 230V
PUMP	150 Lt/h
PUMP PRESSURE	9 ÷ 13 bar
DISPLAY	GRAPHIC LCD
TEMPERATURE CONTROL (PID)	YES
BOILER WITH DIGITAL REGULATION (PID)	YES
ON / OFF PROGRAMMING	YES
DIMENSIONS (L x W x H)	72x58x54
WEIGHT (Kg)	76

Features

- Copper boiler with thermosiphonic circuit
- Boiler temperature stability control with PID system
- Low lead content brass fittings
- Daily ON / OFF programming
- Thermocompensated groups
- LCD graphic multifunction display
- Copper pipes
- Brewing with pre-infusion
- Dispensing dose programming
- Rest day programming
- Powder-coated body
- Boiler temperature on display
- Boiler water level on display
- Double scale pressure gauge
- Finishes in fine wood
- Personalization
- RAL colors on request



DECO S.R.L.

Via Colli Euganei, 47 • 35030 SACCOLONGO (PD) • ITALY

Via Enrico Fermi, 1 • 62027 SAN SEVERINO MARCHE (MC) • ITALY

Phone: +39 0733 636348

VAT: 04527560280

Email: info@prima-musa.com • Website: www.prima-musa.com



High group



Group temperature on Display



Graphic display LCD



Setting the digital temperature



Visualization Temperature on Display



Control of the temperature (PID)



Programming ON / OFF




Water level on Display



Pre-infusion



Colors Yellow - Red Green - Light blue



All the components present in the machines are certified by the relative manufacturers



Models, features and components may change without prior notice to the Customer